

According to (EC) No. 1907/2006, as amended

LA LMC-6044P Spray		GSLA_LMC-6044P Black Aerosol Can	
Product specification	11800	Revision Date	11.07.2018
Version	2.2	Print Date	15.01.2025
Material number	1379493	Page	Page 1 of 18

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier

Material number : 1379493

Trade name : LA LMC-6044P Spray
GSLA_LMC-6044P Black Aerosol Can

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Decorative coating

1.3 Details of the supplier of the safety data sheet

Company : Vibrantz GmbH
Gutleutstraße 215
60327 Frankfurt am Main

Telephone : +4969271160

Telefax : +496927116333

E-mail address : sdb@vibrantz.com

Responsible/issuing person

1.4 Emergency telephone number

In-Country Number : +(44)-870-8200418

CHEMTREC Global Number : +(1)-703-527-3887(Call Collect)

SECTION 2: HAZARDS IDENTIFICATION


2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1 H222: Extremely flammable aerosol.
H229: Pressurised container: May burst if heated.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms : 

Signal word : Danger

SAFETY DATA SHEET



According to (EC) No. 1907/2006, as amended

LA LMC-6044P Spray		GSLA_LMC-6044P Black Aerosol Can	
Product specification	11800	Revision Date	11.07.2018
Version	2.2	Print Date	15.01.2025
Material number	1379493	Page	Page 2 of 18

Hazard statements	: H222 H229	Extremely flammable aerosol. Pressurised container: May burst if heated.
Precautionary statements	: Prevention: P210 P211 P251 Storage: P410 + P412	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.2 Mixtures

Chemical nature : organic solvent
glass/frit
inorganic pigment
extremely flammable liquefied gas
glycol ether/-acetate
hydrocarbon, aliphatic

Hazardous components

Chemical Name	CAS-No. EC-No. Registration number	Classification (REGULATION (EC) No 1272/2008)	Concentration (%)
isobutane	75-28-5 200-857-2	Flam. Gas 1; H220 Press. Gas Liquefied gas; H280	>= 0,1 - < 10
2-methoxy-1-methylethyl acetate	108-65-6 203-603-9 01-2119475791-29-xxxx	Flam. Liq. 3; H226	< 10
propane	74-98-6 200-827-9	Flam. Gas 1; H220 Press. Gas Liquefied gas; H280	< 10

SAFETY DATA SHEET

According to (EC) No. 1907/2006, as amended

LA LMC-6044P Spray

Product specification **11800**
Version **2.2**
Material number **1379493**

GSLA_LMC-6044P Black Aerosol Can

Revision Date **11.07.2018**
Print Date **15.01.2025**
Page **Page 3 of 18**

ethyl acetate	141-78-6 205-500-4	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	$\geq 1 - < 3$
methanol	67-56-1 200-659-6	Flam. Liq. 2; H225 Acute Tox. 3; H301 Acute Tox. 3; H331 Acute Tox. 3; H311 STOT SE 1; H370	< 1
Substances with a workplace exposure limit :			
ethanol	64-17-5 200-578-6	Flam. Liq. 2; H225	$\geq 10 - < 20$
butane	106-97-8 203-448-7	Flam. Gas 1; H220 Press. Gas Liquefied gas; H280	$\geq 10 - < 20$

For explanation of abbreviations see section 16.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If unconscious place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
Keep eye wide open while rinsing.
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Keep respiratory tract clear.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : None known.

According to (EC) No. 1907/2006, as amended

LA LMC-6044P Spray		GSLA_LMC-6044P Black Aerosol Can	
Product specification	11800	Revision Date	11.07.2018
Version	2.2	Print Date	15.01.2025
Material number	1379493	Page	Page 4 of 18

Risks : None known.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : The first aid procedure should be established in consultation with the doctor responsible for industrial medicine.

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media : Alcohol-resistant foam
Carbon dioxide (CO₂)
Dry chemical

Unsuitable extinguishing media : High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Use water spray to cool unopened containers.
Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
For safety reasons in case of fire, cans should be stored separately in closed containments.
Use a water spray to cool fully closed containers.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.
Remove all sources of ignition.
Evacuate personnel to safe areas.
Beware of vapours accumulating to form explosive

According to (EC) No. 1907/2006, as amended

LA LMC-6044P Spray		GSLA_LMC-6044P Black Aerosol Can	
Product specification	11800	Revision Date	11.07.2018
Version	2.2	Print Date	15.01.2025
Material number	1379493	Page	Page 5 of 18

concentrations. Vapours can accumulate in low areas.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system. Prevent product from entering drains.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Sweep up and shovel into suitable containers for disposal. Clean contaminated floors and objects thoroughly while observing environmental regulations.

6.4 Reference to other sections

For personal protection see section 8.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Advice on safe handling : Avoid exposure - obtain special instructions before use. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Container may be opened only under exhaust ventilation hood. Open drum carefully as content may be under pressure. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Use explosion-proof equipment. Keep away from sources of ignition - No smoking. Do not spray on a naked flame or any incandescent material. Take necessary action to avoid static electricity discharge (which might cause ignition of organic vapours). Take measures to prevent the build up of electrostatic charge. Use only explosion-proof equipment. Keep away from open flames, hot surfaces and sources of ignition.

Hygiene measures : Avoid contact with skin, eyes and clothing. When using do not eat or drink. When using do not smoke. Wash hands before breaks and immediately after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Prevent unauthorized access. BEWARE: Aerosol is pressurized. Keep away from direct sun exposure and temperatures over 50 °C. Do not open by force or throw into fire even after use. Do not spray on flames or red-hot objects. No smoking. Store in cool place. Observe label precautions.

SAFETY DATA SHEET



According to (EC) No. 1907/2006, as amended

LA LMC-6044P Spray		GSLA_LMC-6044P Black Aerosol Can	
Product specification	11800	Revision Date	11.07.2018
Version	2.2	Print Date	15.01.2025
Material number	1379493	Page	Page 6 of 18

Electrical installations / working materials must comply with the technological safety standards.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Consult the technical guidelines for the use of this substance/mixture.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Expressed as	Basis
ethanol	64-17-5	TWA	1.000 ppm 1.920 mg/m ³		GB EH40
Further information	Where no specific short-term exposure limit is listed, a figure three times the long-term exposure should be used				
butane	106-97-8	TWA	600 ppm 1.450 mg/m ³		GB EH40
Further information	Capable of causing cancer and/or heritable genetic damage. The identified substances include those which: - are assigned the risk phrases 'R45: May cause cancer'; 'R46: may cause heritable genetic damage'; 'R49: May cause cancer by inhalation' or - a substance or process listed in Schedule 1 of COSHH., Carcinogenic only applies if butane contains more than 0.1% of buta-1,3-diene				
		STEL	750 ppm 1.810 mg/m ³		GB EH40
Further information	Capable of causing cancer and/or heritable genetic damage. The identified substances include those which: - are assigned the risk phrases 'R45: May cause cancer'; 'R46: may cause heritable genetic damage'; 'R49: May cause cancer by inhalation' or - a substance or process listed in Schedule 1 of COSHH., Carcinogenic only applies if butane contains more than 0.1% of buta-1,3-diene				
2-methoxy-1-methylethyl acetate	108-65-6	TWA	50 ppm 275 mg/m ³		2000/39/EC
Further information	Identifies the possibility of significant uptake through the skin, Indicative				
		STEL	100 ppm 550 mg/m ³		2000/39/EC
Further information	Identifies the possibility of significant uptake through the skin, Indicative				

SAFETY DATA SHEET



According to (EC) No. 1907/2006, as amended

LA LMC-6044P Spray		GSLA_LMC-6044P Black Aerosol Can	
Product specification	11800	Revision Date	11.07.2018
Version	2.2	Print Date	15.01.2025
Material number	1379493	Page	Page 7 of 18

		TWA	50 ppm 274 mg/m3		GB EH40
Further information	Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.				
		STEL	100 ppm 548 mg/m3		GB EH40
Further information	Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.				
ethyl acetate	141-78-6	TWA	200 ppm		GB EH40
		STEL	400 ppm		GB EH40
methanol	67-56-1	TWA	200 ppm 260 mg/m3		2006/15/EC
Further information	Identifies the possibility of significant uptake through the skin, Indicative				
		TWA	200 ppm 266 mg/m3		GB EH40
Further information	Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.				
		STEL	250 ppm 333 mg/m3		GB EH40
Further information	Can be absorbed through skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.				

8.2 Exposure controls

Engineering measures

No data available

Personal protective equipment

- Eye protection : Eye wash bottle with pure water
Tightly fitting safety goggles
- Hand protection : Solvent-resistant gloves
The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.
Before removing gloves clean them with soap and water.
The suitability for a specific workplace should be discussed with the producers of the protective gloves.
- Skin and body protection : impervious clothing
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
- Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
- Protective measures : Wear suitable protective equipment.
Avoid contact with skin.
When using do not eat, drink or smoke.

According to (EC) No. 1907/2006, as amended

LA LMC-6044P Spray		GSLA_LMC-6044P Black Aerosol Can	
Product specification	11800	Revision Date	11.07.2018
Version	2.2	Print Date	15.01.2025
Material number	1379493	Page	Page 8 of 18

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance	: aerosol
Colour	: black
Odour	: characteristic
Odour Threshold	: No data available
pH	: No data available
Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: 14 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Burning rate	: No data available
Auto-ignition temperature	: No data available
Upper explosion limit	: 19 %(V)
Lower explosion limit	: 1,3 %(V)
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: No data available
Bulk density	: No data available
Solubility(ies)	
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: Not determined
Decomposition temperature	: No data available
Viscosity	
Viscosity, dynamic	: No data available

SAFETY DATA SHEET



According to (EC) No. 1907/2006, as amended

LA LMC-6044P Spray		GSLA_LMC-6044P Black Aerosol Can	
Product specification	11800	Revision Date	11.07.2018
Version	2.2	Print Date	15.01.2025
Material number	1379493	Page	Page 9 of 18

Explosive properties : No data available
Oxidizing properties : No data available

9.2 Other information

Refractive index : No data available

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity

Stable under recommended storage conditions.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.
No decomposition if used as directed.
No hazards to be specially mentioned.

Vapours may form explosive mixture with air.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

Stable under normal conditions.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity

Not classified based on available information.

Product:

Acute oral toxicity : Remarks: No data available

Acute inhalation toxicity : Remarks: No data available

Acute dermal toxicity : Remarks: No data available

SAFETY DATA SHEET

According to (EC) No. 1907/2006, as amended

LA LMC-6044P Spray		GSLA_LMC-6044P Black Aerosol Can	
Product specification	11800	Revision Date	11.07.2018
Version	2.2	Print Date	15.01.2025
Material number	1379493	Page	Page 10 of 18

Components:

ethyl acetate:

Acute oral toxicity : LD50 Oral (Rat): 6.100 mg/kg
Assessment: The substance or mixture has no acute oral toxicity

methanol:

Acute oral toxicity : Acute toxicity estimate: 100 mg/kg
Method: Converted acute toxicity point estimate

Acute dermal toxicity : Acute toxicity estimate: 300 mg/kg
Method: Converted acute toxicity point estimate

ethanol:

Acute dermal toxicity : LD50 (Rabbit): 15.800 mg/kg

butane:

Acute inhalation toxicity : LC50 (Rat, male and female): 658 g/m³
Exposure time: 4 h
Test atmosphere: gas
Assessment: The substance or mixture has no acute inhalation toxicity

Skin corrosion/irritation

Not classified based on available information.

Components:

ethanol:

Species: Rabbit
Exposure time: 24 h
Method: OECD Test Guideline 404
Result: No skin irritation

Serious eye damage/eye irritation

Not classified based on available information.

Components:

ethyl acetate:

Species: Rabbit
Result: No eye irritation

ethanol:

Species: Rabbit
Method: OECD Test Guideline 405
Result: Eye irritation

Respiratory or skin sensitisation

Skin sensitisation: Not classified based on available information.

Respiratory sensitisation: Not classified based on available information.

SAFETY DATA SHEET



According to (EC) No. 1907/2006, as amended

LA LMC-6044P Spray		GSLA_LMC-6044P Black Aerosol Can	
Product specification	11800	Revision Date	11.07.2018
Version	2.2	Print Date	15.01.2025
Material number	1379493	Page	Page 11 of 18

Product:

Remarks: No data available

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks: Solvents may degrease the skin.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Product:

Ecotoxicology Assessment

Acute aquatic toxicity : No data available

Chronic aquatic toxicity : No data available

Components:

ethyl acetate:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 220 mg/l
Exposure time: 96 h
Test Type: flow-through test

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): 560 mg/l
Exposure time: 48 h

Toxicity to algae : EC50 (algae): 3.300 mg/l
Exposure time: 48 h

SAFETY DATA SHEET

According to (EC) No. 1907/2006, as amended

LA LMC-6044P Spray		GSLA_LMC-6044P Black Aerosol Can	
Product specification	11800	Revision Date	11.07.2018
Version	2.2	Print Date	15.01.2025
Material number	1379493	Page	Page 12 of 18

methanol:

Toxicity to fish : LC50 (Fish): 28.200 mg/l
Exposure time: 96 h

ethanol:

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia (water flea)): 9.268 mg/l
Exposure time: 48 h

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: No data available

Components:

2-methoxy-1-methylethyl acetate:

Biodegradability : Remarks: No data available

propane:

Biodegradability : Remarks: No data available

ethyl acetate:

Biodegradability : Remarks: No data available

methanol:

Biodegradability : Remarks: No data available

ethanol:

Biodegradability : Remarks: No data available

butane:

Biodegradability : Remarks: No data available

12.3 Bioaccumulative potential

Product:

Bioaccumulation : Remarks: No data available

Components:

2-methoxy-1-methylethyl acetate:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : log Pow: 0,43 (20 °C)
pH: 7

propane:

Bioaccumulation : Remarks: No data available

SAFETY DATA SHEET

According to (EC) No. 1907/2006, as amended

LA LMC-6044P Spray		GSLA_LMC-6044P Black Aerosol Can	
Product specification	11800	Revision Date	11.07.2018
Version	2.2	Print Date	15.01.2025
Material number	1379493	Page	Page 13 of 18

Partition coefficient: n-octanol/water : Remarks: No data available

ethyl acetate:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : log Pow: 0,73 (20 °C)

methanol:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : log Pow: -0,77

ethanol:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : log Pow: -0,349 (24 °C)

butane:

Bioaccumulation : Remarks: No data available

Partition coefficient: n-octanol/water : log Pow: 2,745

12.4 Mobility in soil

Product:

Distribution among environmental compartments : Remarks: No data available

Components:

2-methoxy-1-methylethyl acetate:

Distribution among environmental compartments : Remarks: No data available

propane:

Distribution among environmental compartments : Remarks: No data available

ethyl acetate:

Distribution among environmental compartments : Remarks: No data available

methanol:

Distribution among environmental compartments : Remarks: No data available

ethanol:

Distribution among environmental compartments : Remarks: No data available

butane:

Distribution among environmental compartments : Remarks: No data available

SAFETY DATA SHEET



According to (EC) No. 1907/2006, as amended

LA LMC-6044P Spray		GSLA_LMC-6044P Black Aerosol Can	
Product specification	11800	Revision Date	11.07.2018
Version	2.2	Print Date	15.01.2025
Material number	1379493	Page	Page 14 of 18

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

12.6 Other adverse effects

Product:

Additional ecological information : Remarks: No data available
There is no data available for this product.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Offer surplus and non-recyclable solutions to a licensed disposal company.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty pressure vessels should be returned to the supplier.
Do not re-use empty containers.
Do not burn, or use a cutting torch on, the empty drum.

SECTION 14: TRANSPORT INFORMATION

14.1 UN number

ADR : UN 1950
IMDG : UN 1950
IATA : UN 1950

14.2 UN proper shipping name

ADR : AEROSOLS
IMDG : AEROSOLS
IATA : Aerosols, flammable

14.3 Transport hazard class(es)

SAFETY DATA SHEET



According to (EC) No. 1907/2006, as amended

LA LMC-6044P Spray		GSLA_LMC-6044P Black Aerosol Can	
Product specification	11800	Revision Date	11.07.2018
Version	2.2	Print Date	15.01.2025
Material number	1379493	Page	Page 15 of 18

ADR : 2.1

IMDG : 2.1

IATA : 2.1

14.4 Packing group

ADR

Packing group : Not assigned by regulation
Classification Code : 5F
Labels : 2.1
Tunnel restriction code : (D)

IMDG

Packing group : Not assigned by regulation
Labels : 2.1
EmS Code : F-D, S-U

IATA

Packing instruction (cargo aircraft) : 203
Packing instruction (passenger aircraft) : 203
Packing instruction (LQ) : Y203
Packing group : Not assigned by regulation
Labels : 2.1

14.5 Environmental hazards

ADR

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of MARPOL and the IBC Code

Ship type : N/A

Pollution category : N/A

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

International Chemical Weapons Convention (CWC) : Neither banned nor restricted
Schedules of Toxic Chemicals and Precursors

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Neither banned nor restricted

SAFETY DATA SHEET



According to (EC) No. 1907/2006, as amended

LA LMC-6044P Spray		GSLA_LMC-6044P Black Aerosol Can	
Product specification	11800	Revision Date	11.07.2018
Version	2.2	Print Date	15.01.2025
Material number	1379493	Page	Page 16 of 18

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Neither banned nor restricted

REACH - Candidate List of Substances of Very High Concern for Authorisation (Article 59). : This product does not contain substances of very high concern (Regulation (EC) No 1907/2006 (REACH), Article 57).

REACH - List of substances subject to authorisation (Annex XIV) : Neither banned nor restricted

Regulation (EC) No 1005/2009 on substances that deplete the ozone layer : Neither banned nor restricted

Regulation (EC) No 850/2004 on persistent organic pollutants : Neither banned nor restricted

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

		Quantity 1	Quantity 2
P3a	FLAMMABLE AEROSOLS	150 t	500 t
34	Petroleum products: (a) gasolines and naphthas, (b) kerosenes (including jet fuels), (c) gas oils (including diesel fuels, home heating oils and gas oil blending streams),(d) heavy fuel oils (e) alternative fuels serving the same purposes and with similar properties as regards flammability and environmental hazards as the products referred to in points (a) to (d)	2.500 t	25.000 t

The components of this product are reported in the following inventories:

EINECS (European Union) : On the inventory, or in compliance with the inventory

SWISS (Switzerland) : On the inventory, or in compliance with the inventory

TSCA (United States) : On TSCA Inventory

DSL/NDSL (Canada) : All components of this product are on the Canadian DSL.

SAFETY DATA SHEET



According to (EC) No. 1907/2006, as amended

LA LMC-6044P Spray		GSLA_LMC-6044P Black Aerosol Can	
Product specification	11800	Revision Date	11.07.2018
Version	2.2	Print Date	15.01.2025
Material number	1379493	Page	Page 17 of 18

- AICS (Australia) : On the inventory, or in compliance with the inventory
- NZioC (New Zealand) : On the inventory, or in compliance with the inventory
- ENCS (Japan) : On the inventory, or in compliance with the inventory
- ISHL (Japan) : Not in compliance with the inventory
- KECI (Korea) : On the inventory, or in compliance with the inventory
- PICCS (Philippines) : On the inventory, or in compliance with the inventory
- IECSC (China) : On the inventory, or in compliance with the inventory
- TCSI (Taiwan) : On the inventory, or in compliance with the inventory
- CICR (Turkey) : On the inventory, or in compliance with the inventory
- INSQ (Mexico) : Not in compliance with the inventory

15.2 Chemical Safety Assessment

Not applicable

SECTION 16: OTHER INFORMATION

Full text of H-Statements

- H220 : Extremely flammable gas.
- H225 : Highly flammable liquid and vapour.
- H226 : Flammable liquid and vapour.
- H280 : Contains gas under pressure; may explode if heated.
- H301 : Toxic if swallowed.
- H311 : Toxic in contact with skin.
- H319 : Causes serious eye irritation.
- H331 : Toxic if inhaled.
- H336 : May cause drowsiness or dizziness.
- H370 : Causes damage to organs.

Full text of other abbreviations

SAFETY DATA SHEET



According to (EC) No. 1907/2006, as amended

LA LMC-6044P Spray		GSLA_LMC-6044P Black Aerosol Can	
Product specification	11800	Revision Date	11.07.2018
Version	2.2	Print Date	15.01.2025
Material number	1379493	Page	Page 18 of 18

- Acute Tox. : Acute toxicity
- Eye Irrit. : Eye irritation
- Flam. Gas : Flammable gases
- Flam. Liq. : Flammable liquids
- Press. Gas : Gases under pressure
- STOT SE : Specific target organ toxicity - single exposure

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.